

(f) *Plant pests; authorized treatments.* (1) Apricots, nectarines, peaches, plumcot, or plums from Chile may be imported into the United States only if they are found free of the following pests or, if an authorized treatment is available, they are treated for the pest under the supervision of an APHIS inspector: *Proeulia* spp., *Leptoglossus chilensis*, *Megalometis chilensis*, *Naupactus xanthographus*, *Listroderes subcinctus*, and *Conoderus rufangulus*, and other insect pests that the Administrator has determined do not exist, or are not widespread, in the United States.

(2) Authorized treatments are listed in part 305 of this chapter.

(g) *Inspection in the United States.* Notwithstanding provisions to the contrary in paragraphs (c) and (d) of this section, the Administrator may, in emergency or extraordinary situations, allow apricots, nectarines, peaches, plumcot, or plums imported under this section to be inspected at a port of arrival in the United States, in lieu of a preclearance inspection of fumigation in Chile, under the following conditions:

(1) The Administrator is satisfied that a unique situation exists which justifies a limited exception to mandatory preclearance;

(2) The Administrator has determined that inspection and/or treatment can be accomplished at the intended port of arrival without increasing the risk of introducing insect pests into the United States;

(3) The entire shipment of apricots, nectarines, peaches, plumcot, or plums must be offloaded and moved, under the supervision of APHIS inspectors, to an enclosed warehouse, where inspection and treatment facilities are available.

(4) The Administrator must determine that a sufficient number of inspectors are available at the port of arrival to perform the services required.

(5) The method of sampling and inspection will be the same as prescribed in paragraph (d) of this section for preclearance inspections.

[55 FR 42352, Oct. 19, 1990, as amended at 58 FR 69179, Dec. 30, 1993; 67 FR 8466, Feb. 25, 2002; 70 FR 33326, June 7, 2005]

§ 319.56–2t Administrative instructions: Conditions governing the entry of certain fruits and vegetables.

(a) The following commodities may be imported into all parts of the United States, unless otherwise indicated, from the places specified, in accordance with § 319.56–6 and all other applicable requirements of this subpart:

Country/locality	Common name	Botanical name	Plant part(s)	Additional restrictions (see paragraph (b) of this section)
Argentina	Allium	<i>Allium</i> spp	Whole plant.	
	Apple	<i>Malus domestica</i>	Fruit	(b)(1)(ii)
	Apricot	<i>Prunus americana</i>	Fruit	(b)(1)(ii)
	Artichoke, globe	<i>Cynara scolymus</i>	Immature flower head.	
	Basil	<i>Ocimum</i> spp	Above ground parts.	
	Cherry	<i>Prunus avium</i> , <i>P. cerasus</i> .	Fruit	(b)(1)(ii)
	Currant	<i>Ribes</i> spp	Fruit.	
	Endive	<i>Cichorium endivia</i>	Leaf and stem.	
	Gooseberry	<i>Ribes</i> spp	Fruit.	
	Kiwi	<i>Actinidia deliciosa</i>	Fruit	(b)(1)(ii)
	Marjoram	<i>Origanum</i> spp	Above ground parts.	
	Nectarine	<i>Prunus persica</i> var. <i>nucipersica</i> .	Fruit	(b)(1)(ii)
	Oregano	<i>Origanum</i> spp	Above ground parts.	
	Peach	<i>Prunus persica</i> var. <i>persica</i> .	Fruit	(b)(1)(ii)
	Pear	<i>Pyrus communis</i>	Fruit	(b)(1)(ii)
	Plum	<i>Prunus domestica</i> subsp. <i>domestica</i> .	Fruit	(b)(1)(ii)
	Pomegranate	<i>Punica granatum</i>	Fruit	(b)(1)(ii)
Australia	Quince	<i>Cydonia oblonga</i>	Fruit	(b)(1)(ii)
	Currant	<i>Ribes</i> spp	Fruit.	
	Gooseberry	<i>Ribes</i> spp	Fruit.	

Animal and Plant Health Inspection Service, USDA

§ 319.56–2t

Country/locality	Common name	Botanical name	Plant part(s)	Additional restrictions (see paragraph (b) of this section)
Austria	Asparagus, white	<i>Asparagus officinalis</i>	Shoot (no green may be visible on the shoot).	
Barbados	Banana	<i>Musa</i> spp	Flower.	
Belgium	Cichorium	<i>Cichorium</i> spp	Above ground parts	(b)(6)(i)
	Leek	<i>Allium</i> spp	Whole plant	(b)(5)(i)
	Pepper	<i>Capsicum</i> spp	Fruit.	
Belize	Banana	<i>Musa</i> spp	Flower in bracts with stems.	
	Bay leaf	<i>Laurus nobilis</i>	Leaf and stem.	
	Mint	<i>Mentha</i> spp	Above ground parts.	
	Papaya	<i>Carica papaya</i>	Fruit	(b)(1)(i), (b)(2)(iii).
	Pepper	<i>Capsicum</i> spp	Fruit	(b)(6)(ii)
	Rambutan	<i>Nephelium lappaceum</i> ..	Fruit	(b)(2)(i), (b)(5)(iii).
	Sage	<i>Salvia officinalis</i>	Leaf and stem.	
	Tarragon	<i>Artemisia dracunculus</i> ..	Above ground parts.	
Bermuda	Avocado	<i>Persea americana</i>	Fruit.	
	Carambola	<i>Averrhoa carambola</i>	Fruit.	
	Grapefruit	<i>Citrus paradisi</i>	Fruit.	
	Guava	<i>Psidium guajava</i>	Fruit.	
	Lemon	<i>Citrus limon</i>	Fruit.	
	Longan	<i>Dimocarpus longan</i>	Fruit.	
	Loquat	<i>Eriobotrya japonica</i>	Fruit.	
	Mandarin orange	<i>Citrus reticulata</i>	Fruit.	
	Natal plum	<i>Carissa macrocarpa</i>	Fruit.	
	Orange, sour	<i>Citrus aurantium</i>	Fruit.	
	Orange, sweet	<i>Citrus sinensis</i>	Fruit.	
	Papaya	<i>Carica papaya</i>	Fruit.	
	Passion fruit	<i>Passiflora</i> spp	Fruit.	
	Peach	<i>Prunus persica</i>	Fruit.	
	Pineapple guava	<i>Feijoa</i> spp	Fruit.	
	Suriname cherry	<i>Eugenia uniflora</i>	Fruit.	
Bolivia	Belgian endive	<i>Cichorium intybus</i>	Leaf.	
Brazil	Dasheen	<i>Colocasia esculenta</i>	Whole plant.	
	Ginger root	<i>Zingiber officinale</i>	Root.	
Chile	African horned cucumber.	<i>Cucumis metuliferus</i>	Fruit	(b)(2)(i).
	Apple	<i>Malus domestica</i>	Fruit	(b)(1)(ii)
	Asparagus	<i>Asparagus officinalis</i>	Whole plant.	
	Avocado	<i>Persea americana</i>	Fruit	(b)(1)(ii)
	Babaco	<i>Carica x heilborni</i> var. <i>pentagona</i> .	Fruit	(b)(1)(i).
	Basil	<i>Ocimum</i> spp	Above ground parts.	
	Blackberry	<i>Rubus</i> spp	Fruit.	
	Cherry	<i>Prunus avium</i> , <i>P. cerasus</i> .	Fruit	(b)(1)(ii)
	Lucuma	<i>Manilkara sapota</i> (= <i>Lucuma mammosa</i>).	Fruit	(b)(1)(i).
	Mountain papaya	<i>Carica pubescens</i> (= <i>C. candamarcensis</i>).	Fruit	(b)(1)(ii).
	Oregano	<i>Origanum</i> spp	Leaf and stem.	
	Pear	<i>Pyrus communis</i>	Fruit	(b)(1)(ii)
	Pepper	<i>Capsicum annuum</i>	Fruit	(b)(1)(i).
	Raspberry	<i>Rubus</i> spp	Fruit.	
	Sandpear	<i>Pyrus pyrifolia</i>	Fruit	(b)(1)(ii).
	Tarragon	<i>Artemisia dracunculus</i> ..	Above ground parts.	
China	Bamboo	<i>Bambuseae</i> spp	Edible shoot, free of leaves and roots.	
	Ginger root	<i>Zingiber officinale</i>	Root.	
Colombia	Banana	<i>Musa</i> spp	Leaf and fruit.	
	Rhubarb	<i>Rheum rhabarbarum</i>	Stalk.	
	Snow pea	<i>Pisum sativum</i> subsp. <i>sativum</i> .	Flat, immature pod.	
	Tarragon	<i>Artemisia dracunculus</i> ..	Above ground parts.	
Cook Islands	Banana	<i>Musa</i> spp	Green fruit	(b)(4)(i).
	Cucumber	<i>Cucumis sativus</i>	Fruit.	
	Drumstick	<i>Moringa pterygosperma</i> ..	Leaf.	
	Ginger	<i>Zingiber officinale</i>	Root	(b)(2)(ii).
	Indian mulberry	<i>Morinda citrifolia</i>	Leaf.	
	Lemongrass	<i>Cymbopogon</i> spp	Leaf.	
	Tossa jute	<i>Corchorus olitorius</i>	Leaf.	
Costa Rica	Banana	<i>Musa</i> spp	Leaf and fruit.	
	Basil	<i>Ocimum</i> spp	Whole plant.	

Country/locality	Common name	Botanical name	Plant part(s)	Additional restrictions (see paragraph (b) of this section)
Dominican Republic	Carrot	<i>Daucus carota</i> ssp <i>sativus</i> .	Whole plant.	
	Chinese kale	<i>Brassica alboglabra</i>	Leaf and stem.	
	Chinese turnip	<i>Raphanus sativus</i>	Root.	
	Cole and mustard crops, including cabbage, broccoli, cauliflower, turnips, mustards, and related varieties.	<i>Brassica</i> spp	Whole plant of edible varieties only.	
	Cucurbit	Cucurbitaceae	Above ground parts	(b)(2)(iii), (b)(3)
	Jicama	<i>Pachyrhizus tuberosus</i> or <i>P. erosus</i> .	Root.	
	Rambutan	<i>Nephelium lappaceum</i>	Fruit	(b)(2)(i), (b)(5)(iii).
	Avocado	<i>Persea americana</i>	Fruit.	
	Bamboo	<i>Bambuseae</i> spp	Edible shoot, free of leaves and roots.	
	Banana	<i>Musa</i> spp	Fruit.	
	Breadfruit	<i>Artocarpus altilis</i>	Fruit.	
	Cassava	<i>Manihot esculenta</i>	Root.	
	Celeriac	<i>Apium graveolens</i> var. <i>dulce</i> .	Whole plant.	
Ecuador	Citrus	<i>Citrus</i> spp	Fruit	(b)(6)(iii)
	Cucurbit	Cucurbitaceae	Above ground parts	(b)(2)(iii), (b)(3)
	Dasheen	<i>Colocasia esculenta</i>	Whole plant.	
	Durian	<i>Durio zibethinus</i>	Fruit.	
	Genip	<i>Melicoccus bijugatus</i>	Fruit.	
	Papaya	<i>Carica papaya</i>	Fruit	(b)(2)(iii)
	Pepper	<i>Capsicum</i> spp	Fruit.	
	Pineapple	<i>Ananas comosus</i>	Fruit	(b)(2)(iii)
	Banana	<i>Musa</i> spp	Flower.	
	Basil	<i>Ocimum</i> spp	Above ground parts.	
	Chervil	<i>Anthriscus</i> spp	Leaf and stem.	
	Cole and mustard crops, including cabbage, broccoli, cauliflower, turnips, mustards, and related varieties.	<i>Brassica</i> spp	Whole plant of edible varieties only.	
El Salvador	Pineapple	<i>Ananas comosus</i>	Fruit	(b)(2)(iii)
	Radicchio	<i>Cichorium</i> spp	Above ground parts.	
	Basil	<i>Ocimum</i> spp	Above ground parts.	
	Cilantro	<i>Coriandrum sativum</i>	Above ground parts..	
	Cole and mustard crops, including cabbage, broccoli, cauliflower, turnips, mustards, and related varieties.	<i>Brassica</i> spp	Whole plant of edible varieties only.	
	Dill	<i>Anethum graveolens</i>	Above ground parts.	
	Eggplant	<i>Solanum melongena</i>	Fruit with stem	(b)(3).
	Fennel	<i>Foeniculum vulgare</i>	Leaf and stem	(b)(2)(i).
	German chamomile	<i>Matricaria recutita</i> and <i>Matricaria chamomilla</i> .	Flower and leaf	(b)(2)(i).
	Loroco	<i>Fernaldia</i> spp	Flower, leaf, and stem.	
	Oregano or sweet marjoram.	<i>Origanum</i> spp	Leaf and stem	(b)(2)(i).
	Parsley	<i>Petroselinum crispum</i>	Leaf and stem	(b)(2)(i).
	Rambutan	<i>Nephelium lappaceum</i>	Fruit	(b)(2)(i), (b)(5)(iii).
France	Rosemary	<i>Rosmarinus officinalis</i>	Leaf and stem	(b)(2)(i).
	Waterlily or lotus	<i>Nelumbo nucifera</i>	Roots without soil	(b)(2)(i).
	Yam-bean or Jicama	<i>Pachyrhizus</i> supp	Roots without soil	(b)(2)(i).
	Tomato	<i>Lycopersicon esculentum</i> .	Fruit, stem, and leaf	(b)(4)(ii).
Great Britain	Basil	<i>Ocimum</i> spp	Leaf and stem.	
	Abiu	<i>Pouteria caimito</i>	Fruit.	
Grenada	Atemoya	<i>Annona squamosa</i> x <i>A. cherimola</i> .	Fruit	(b)(3).
	Bilimbi	<i>Averrhoa bilimbi</i>	Fruit.	
	Breadnut	<i>Brosimum alicastrum</i>	Fruit.	
	Cherimoya	<i>Annona cherimola</i> Fruit	(b)(3).	
	Cocoplum	<i>Chrysobalanus icaco</i>	Fruit.	
	Cucurbits	Cucurbitaceae	Fruit.	
	Custard apple	<i>Annona reticulata</i> Fruit	(b)(3).	
	Durian	<i>Durio zibethinus</i>	Fruit.	

Animal and Plant Health Inspection Service, USDA

§ 319.56–2t

Country/locality	Common name	Botanical name	Plant part(s)	Additional restrictions (see paragraph (b) of this section)
Guatemala	Jackfruit	<i>Artocarpus heterophyllus</i>	Fruit.	
	Jambolan	<i>Syzygium cumini</i>	Fruit.	
	Jujube	<i>Ziziphus</i> spp	Fruit.	
	Langsat	<i>Lansium domesticum</i>	Fruit.	
	Litchi	<i>Litchi chinensis</i>	Fruit.	
	Malay apple	<i>Syzygium malaccense</i>	Fruit.	
	Mammee apple	<i>Mammea americana</i>	Fruit.	
	Peach palm	<i>Bactris gasipaes</i>	Fruit.	
	Piper	<i>Piper</i> spp	Fruit.	
	Pulasan	<i>Nephelium ramboutanake</i>	Fruit.	
	Rambutan	<i>Nephelium lappaceum</i>	Fruit.	
	Rose apple	<i>Syzygium jambos</i>	Fruit.	
	Santol	<i>Sandoricum koetjape</i>	Fruit.	
	Sapote	<i>Pouteria sapota</i>	Fruit.	
	Soursop	<i>Annona muricata</i>	Fruit.	(b)(3).
	Supar apple	<i>Annona squamosa</i>	Fruit.	(b)(3).
	Artichoke, globe	<i>Cynara scolymus</i>	Immature flower head.	
	Banana	<i>Musa</i> spp	Leaf and fruit.	
	Basil	<i>Ocimum</i> spp	Above ground parts.	
	Cichorium	<i>Cichorium</i> spp	Above ground parts	(b)(6)(i)
	Cucurbit	Cucurbitaceae	Above ground parts	(b)(2)(iii), (b)(3)
	Dill	<i>Anethum graveolens</i>	Above ground parts.	
	Eggplant	<i>Solanum melongena</i>	Fruit with stem.	
	Fennel	<i>Foeniculum vulgare</i>	Leaf and stem	(b)(2)(i).
	German chamomile	<i>Matricaria chamomilla</i> and <i>Matricaria recutita</i>	Flower and leaf	(b)(2)(i).
	Jicama	<i>Pachyrhizus tuberosus</i> or <i>P. erosus</i>	Root.	
	Loroco	<i>Fernaldia</i> spp	Flower and leaf.	
	Mint	<i>Mentha</i> spp	Above ground parts.	
	Okra	<i>Abelmoschus esculentus</i>	Pod.	
	Oregano	<i>Origanum</i> spp	Leaf and stem.	
	Papaya	<i>Carica papaya</i>	Fruit	(b)(1)(i), (b)(2)(iii).
	Rambutan	<i>Nephelium lappaceum</i>	Fruit	(b)(2)(i), (b)(5)(iii).
	Rhubarb	<i>Rheum rhabarbarum</i>	Above ground parts.	
	Rosemary	<i>Rosmarinus officinalis</i>	Leaf and stem	(b)(2)(i).
	Tarragon	<i>Artemisia dracunculoides</i>	Above ground parts.	
	Waterlily or lotus	<i>Nelumbo nucifera</i>	Roots without soil	(b)(2)(i).
Haiti	Jackfruit	<i>Artocarpus heterophyllus</i>	Fruit.	
Honduras	Banana	<i>Musa</i> spp	Flower.	
	Basil	<i>Ocimum basilicum</i>	Leaf and stem	(b)(2)(i), (b)(5)(iv).
	Chicory	<i>Cichorium</i> spp	Leaf and stem.	
	Cilantro	<i>Coriandrum sativum</i>	Above ground parts.	
	Cole and mustard crops, including cabbage, broccoli, cauliflower, turnips, mustards, and related varieties.	<i>Brassica</i> spp	Whole plant of edible varieties only.	
	Cucurbit	Cucurbitaceae	Above ground parts	(b)(2)(iii), (b)(3)
	German chamomile	<i>Matricaria recutita</i> and <i>Matricaria chamomilla</i>	Flower and leaf	(b)(2)(i).
	Loroco	<i>Fernaldia</i> spp	Flower and leaf.	
	Okra	<i>Abelmoschus esculentus</i>	Pod.	
	Oregano or sweet marjoram.	<i>Origanum</i> spp	Leaf and stem	(b)(2)(i).
Indonesia	Radish	<i>Raphanus sativus</i>	Root.	
	Rambutan	<i>Nephelium lappaceum</i>	Fruit	(b)(2)(i), (b)(5)(iii).
	Waterlily or lotus	<i>Nelumbo nucifera</i>	Roots without soil	(b)(2)(i)
	Yam-bean or Jicama	<i>Pachyrhizus</i> spp	Roots without soil	(b)(2)(i).
	Dasheen	<i>Colocasia</i> spp, <i>Alocasia</i> spp, and <i>Xanthosoma</i> spp.	Tuber	(b)(2)(iv).
	Onion	<i>Allium cepa</i>	Bulb.	
Israel	Shallot	<i>Allium ascalonicum</i>	Bulb.	
	Arugula	<i>Eruca sativa</i>	Leaf and stem.	
	Basil	<i>Ocimum</i> spp	Above ground parts	
	Chives	<i>Allium schoenoprasum</i>	Leaf.	

Country/locality	Common name	Botanical name	Plant part(s)	Additional restrictions (see paragraph (b) of this section)
Jamaica	Dill	<i>Anethum graveolens</i>	Above ground parts.	(b)(2)(iii), (b)(3)
	Mint	<i>Mentha</i> spp	Above ground parts.	
	Parsley	<i>Petroselinum crispum</i>	Above ground parts.	
	Watercress	<i>Nasturtium officinale</i>	Leaf and stem.	
	Cucurbit	Cucurbitaceae	Above ground parts	
	Fenugreek	<i>Tirgonella foenum-graceum</i>	Leaf, stem, root.	
	Jackfruit	<i>Artocarpus heterophyllus</i>	Fruit.	
	Ivy gourd	<i>Coccinia grandis</i>	Fruit.	
	Pak choi	<i>Brassica chinensis</i>	Leaf and stem.	
	Papaya	<i>Carica papaya</i>	Above ground parts	
Japan	Pointed gourd	<i>Trichosanthes dioica</i>	Fruit.	(b)(2)(iii), (b)(3)
	Bamboo	<i>Bambuseae</i> spp	Edible shoot, free of leaves and roots.	
	Mioga ginger	<i>Zingiber mioga</i>	Above ground parts.	
Liberia	Mung bean	<i>Vigna radiata</i>	Seed sprout.	(b)(1)(iii), (b)(1)(iii).
	Soybean	<i>Glycine max</i>	Seed sprout.	
	Jute	<i>Corchorus capsularis</i>	Leaf.	
Mexico	Potato	<i>Solanum tuberosum</i>	Leaf.	(b)(1)(iii).
	Allium	<i>Allium</i> spp	Whole plant.	
	Anise	<i>Pimpinella anisum</i>	Leaf and stem.	
	Apple	<i>Malus domestica</i>	Fruit	
	Apricot	<i>Prunus armeniaca</i>	Fruit	
	Artichoke, globe	<i>Cynara scolymus</i>	Immature flower head.	
	Artichoke, Jerusalem	<i>Helianthus tuberosus</i>	Whole plant.	
	Arugula	<i>Eruca sativa</i>	Leaf and stem.	
	Asparagus	<i>Asparagus officinalis</i>	Shoot.	
	Banana	<i>Musa</i> spp	Flower and fruit.	
	Basil	<i>Ocimum</i> spp	Above ground parts.	(b)(6)(i)
	Bay leaf	<i>Laurus nobilis</i>	Leaf and stem.	
	Beet	<i>Beta vulgaris</i>	Whole plant.	
	Blackberry	<i>Rubus</i> spp	Fruit.	
	Blueberry	<i>Vaccinium</i> spp	Fruit.	
	Carrot	<i>Daucus carota</i>	Whole plant.	
	Celery	<i>Apium graveolens</i> var. <i>dulce</i>	Whole plant.	
	Cichorium	<i>Cichorium</i> spp	Above ground parts	
	Coconut	<i>Cocos nucifera</i>	Fruit without husk.	
	Cucurbits	Cucurbitaceae	Fruit with milk and husk	(b)(5)(v).
			Inflorescence, flower, and fruit.	
	Dill	<i>Anethum graveolens</i>	Above ground parts.	(b)(1)(iii), (b)(2)(i).
	Eggplant	<i>Solanum melongena</i>	Fruit with stem.	
	Fig	<i>Ficus carica</i>	Fruit	
	Grape	<i>Vitis</i> spp	Fruit, cluster, and leaf.	
	Grapefruit	<i>Citrus paradisi</i>	Fruit	
	Jicama or yam bean	<i>Pachyrhizus tuberosus</i> , <i>P. erosus</i>	Root.	
	Lambsquarters	<i>Chenopodium</i> spp	Above ground parts.	
	Lemon	<i>Citrus limon</i>	Fruit.	
	Lettuce	<i>Lactuca sativa</i>	Whole plant.	
	Lime, sour	<i>Citrus aurantiifolia</i>	Fruit.	
	Mango	<i>Mangifera indica</i>	Fruit	(b)(1)(iii).
	Orange	<i>Citrus sinensis</i>	Fruit	
	Oregano	<i>Origanum</i> spp	Above ground parts.	
	Parsley	<i>Petroselinum crispum</i>	Whole plant.	
	Peach	<i>Prunus persica</i>	Fruit	
	Pepper	<i>Capsicum</i> spp	Fruit	
	Persimmon	<i>Diospyros</i> spp	Fruit	
	Pineapple	<i>Ananas comosus</i>	Fruit.	
	Pitaya	<i>Hylocereus</i> spp	Fruit.	
	Piper	<i>Piper</i> spp	Leaf and stem.	
	Pomegranate	<i>Punica granatum</i>	Fruit	(b)(1)(iii).
	Porophyllum	<i>Porophyllum</i> spp	Above ground parts.	
	Prickly-pear pad	<i>Opuntia</i> spp	Pad.	
	Radish	<i>Raphanus sativus</i>	Whole plant.	
	Rambutan	<i>Nephelium lappaceum</i>	Fruit	
	Raspberry	<i>Rubus</i> spp	Fruit.	
	Rosemary	<i>Rosmarinus officinalis</i>	Above ground parts.	
	Salicornia	<i>Salicornia</i> spp	Above ground parts.	
	Spinach	<i>Spinacia oleracea</i>	Whole plant.	

Animal and Plant Health Inspection Service, USDA

§ 319.56–2t

Country/locality	Common name	Botanical name	Plant part(s)	Additional restrictions (see paragraph (b) of this section)
Morocco	Strawberry	<i>Fragaria</i> spp	Fruit.	(b)(1)(iii).
	Swiss chard	<i>Beta vulgaris</i> var. <i>cicla</i>	Above ground parts..	
	Tangerine	<i>Citrus reticulata</i>	Fruit	
	Tepeguaje	<i>Leucaena</i> spp	Fruit.	
	Thyme	<i>Thymus vulgaris</i>	Above ground parts.	
	Tomatillo	<i>Physalis ixocarpa</i>	Whole plant.	
	Tomato	<i>Lycopersicon lycopersicum</i> .	Fruit, stem, and leaf.	
	Tuna	<i>Opuntia</i> spp	Fruit.	
	Strawberry	<i>Fragaria</i> spp	Fruit.	
	Tomato	<i>Lycopersicon esculentum</i> .	Fruit, stem, and leaf	
Morocco and Western Sahara.	Tomato	<i>Lycopersicon esculentum</i> .	Fruit, stem, and leaf	(b)(4)(ii)
Netherlands	Cichorium	<i>Cichorium</i> spp	Above ground parts	(b)(6)(i)
	Cucurbit	Cucurbitaceae	Above ground parts	(b)(2)(iii), (b)(3)
	Eggplant	<i>Solanum melongena</i>	Fruit.	(b)(5)(i).
	Leek	<i>Allium</i> spp	Whole plant	
New Zealand	Radish	<i>Raphanus sativus</i>	Root.	
	Avocado	<i>Persea americana</i>	Fruit.	
	Fig	<i>Ficus carica</i>	Fruit.	(b)(2)(i).
	Oca	<i>Oxalis tuberosa</i>	Tuber.	
Nicaragua	Banana	<i>Musa</i> spp	Leaf and fruit.	
	Cilantro	<i>Coriandrum sativum</i>	Above ground parts.	
	Cole and mustard crops, including cabbage, broccoli, cauliflower, turnips, mustards, and related varieties.	<i>Brassica</i> spp	Whole plant of edible varieties only.	(b)(2)(i).
	Dasheen	<i>Colocasia esculenta</i>	Tuber.	
	Eggplant	<i>Solanum melongena</i>	Fruit with stem	
	Fennel	<i>Foeniculum vulgare</i>	Leaf and stem	(b)(2)(i).
	German chamomile	<i>Matricaria recutita</i> and <i>M. chamomilla</i> .	Flower and leaf	
	Loroco	<i>Fernaldia</i> spp	Leaf and stem.	
	Mint	<i>Mentha</i> spp	Above ground parts.	(b)(2)(i), (b)(5)(iii).
	Parsley	<i>Petroselinum crispum</i>	Above ground parts.	
	Radicchio	<i>Cichorium</i> spp	Above ground parts.	
	Rambutan	<i>Nephelium lappaceum</i>	Fruit	
	Rosemary	<i>Rosmarinus officinalis</i>	Above ground parts.	(b)(2)(i).
	Waterlily or lotus	<i>Nelumbo nucifera</i>	Roots without soil.	
	Yam-bean or Jicama	<i>Pachyrhizus</i> spp	Roots without soil.	
	Basil	<i>Ocimum</i> spp	Above ground parts.	
Panama	Bean, green and lima	<i>Phaseolus vulgaris</i> and <i>P. lunatus</i> .	Seed.	(b)(2)(iii), (b)(3)
	Belgian endive	<i>Cichorium</i> spp	Above ground parts.	
	Chervil	<i>Anthriscus cerefolium</i>	Above ground parts.	
	Chicory	<i>Cichorium</i> spp	Above ground parts.	
	Cucurbit	Cucurbitaceae	Above ground parts	(b)(2)(i), (b)(5)(iii).
	Eggplant	<i>Solanum melongena</i>	Fruit with stem.	
	Endive	<i>Cichorium</i> spp	Above ground parts.	
	Fenugreek	<i>Tirgonella foenum-graceum</i> .	Leaf and stem.	
	Lemon thyme	<i>Thymus citriodorus</i>	Leaf and stem.	(b)(2)(i), (b)(5)(iii).
	Mint	<i>Mentha</i> spp	Above ground parts.	
	Oregano	<i>Origanum</i> spp	Above ground parts.	
	Rambutan	<i>Nephelium lappaceum</i>	Fruit.	
	Rosemary	<i>Rosmarinus officinalis</i>	Above ground parts.	(b)(2)(i), (b)(5)(iii).
	Tarragon	<i>Artemisia dracunculus</i>	Above ground parts.	
	Arugula	<i>Eruca sativa</i>	Leaf and stem.	
	Banana	<i>Musa</i> spp	Leaf and fruit.	
Peru	Basil	<i>Ocimum</i> spp	Leaf and stem.	(b)(2)(i), (b)(5)(iii).
	Carrot	<i>Daucus carota</i>	Root.	
	Chervil	<i>Anthriscus</i> spp	Leaf and stem.	
	Cole and mustard crops, including cabbage, broccoli, cauliflower, turnips, mustards, and related varieties.	<i>Brassica</i> spp	Whole plant of edible varieties only.	
	Corn salad	<i>Valerianella</i> spp	Whole plant.	(b)(2)(i), (b)(5)(iii).
	Dill	<i>Anethum graveolens</i>	Above ground parts.	
	Lambsquarters	<i>Chenopodium album</i>	Above ground parts.	
	Lemongrass	<i>Cymbopogon</i> spp	Leaf and stem.	
	Marjoram	<i>Origanum</i> spp	Above ground parts.	

Country/locality	Common name	Botanical name	Plant part(s)	Additional restrictions (see paragraph (b) of this section)
Philippines	Mustard greens	<i>Brassica juncea</i>	Leaf.	
	Oregano	<i>Origanum</i> spp.	Leaf and stem.	
	Parsley	<i>Petroselinum crispum</i>	Leaf and stem.	
	Radicchio	<i>Cichorium</i> spp.	Leaf.	
	Swiss chard	<i>Beta vulgaris</i>	Leaf and stem.	
	Thyme	<i>Thymus vulgaris</i>	Above ground parts.	
	Jicama	<i>Pachyrhizus tuberosus</i> or <i>P. erosus</i> .	Root.	
Poland	Pepper	<i>Capsicum</i> spp.	Fruit.	
	Tomato	<i>Lycopersicon esculentum</i> .	Fruit, stem, and leaf.	
Republic of Korea	Angelica	<i>Aralia elata</i>	Edible shoot.	(b)(2)(iv).
	Aster greens	<i>Aster scaber</i>	Leaf and stem.	
	Bonnet bellflower	<i>Codonopsis lanceolata</i>	Root.	
	Chard	<i>Beta vulgaris</i> subsp. <i>cicla</i> .	Leaf.	
	Chinese bellflower	<i>Platycodon grandiflorum</i>	Root.	
	Dasheen	<i>Colocasia</i> spp., <i>Alocasia</i> spp., and <i>Xanthosoma</i> spp.	Root	
	Eggplant	<i>Solanum melongena</i>	Fruit with stem.	
	Kiwi	<i>Actinidia deliciosa</i>	Fruit.	
	Lettuce	<i>Lactuca sativa</i>	Leaf.	
	Mugwort	<i>Artemisia vulgaris</i>	Leaf and stem.	
Sierra Leone	Onion	<i>Allium cepa</i>	Bulb.	(b)(5)(ii).
	Shepherd's purse	<i>Capsella bursa-pastoris</i>	Leaf and stem.	
	Strawberry	<i>Fragaria</i> spp.	Fruit	
	Watercress	<i>Nasturtium officinale</i>	Leaf and stem.	
	Youngia greens	<i>Youngia sonchifolia</i>	Leaf, stem, and root.	
	Cassava	<i>Manihot esculenta</i>	Leaf.	
	Jute	<i>Corchorus capsularis</i>	Leaf.	
	Potato	<i>Solanum tuberosum</i>	Leaf.	
	Turmeric	<i>Curcuma longa</i>	Rhizome.	
St. Vincent and the Grenadines.				(b)(3) (b)(3). (b)(3), (b)(6)(iv) (b)(4)(ii). (b)(3).
South Africa	Artichoke, globe	<i>Cynara scolymus</i>	Immature flower head.	
Spain	Pineapple	<i>Ananas</i> spp.	Fruit.	
	Cucurbit	Cucurbitaceae	Above ground parts	
	Eggplant	<i>Solanum melongena</i>	Fruit with stem	
	Lemon	<i>Citrus limon</i>	Fruit	
	Tomato	<i>Lycopersicon esculentum</i> .	Fruit, stem, and leaf	
Suriname	Watermelon	<i>Citrullus lanatus</i>	Fruit	
	Amaranth	<i>Amaranthus</i> spp.	Leaf and stem.	
	Black palm nut	<i>Astrocaryum</i> spp.	Fruit.	
	Jessamine	<i>Cestrum latifolium</i>	Leaf and stem.	
	Malabar spinach	<i>Bassella alba</i>	Leaf and stem.	
	Mung bean	<i>Vigna radiata</i>	Seed sprout.	
	Pak choi	<i>Brassica chinensis</i>	Leaf and stem.	
Sweden	Dill	<i>Anethum graveolens</i>	Above ground parts.	(b)(2)(iii), (b)(3)
Taiwan	Bamboo	Bambuseae spp.	Edible shoot, free of leaves and roots.	
Thailand	Burdock	<i>Arctium lappa</i>	Root.	
	Wasabi (Japanese horseradish).	<i>Wasabia japonica</i>	Root and stem.	
	Dasheen	<i>Alocasia</i> spp., <i>Colocasia</i> spp., and <i>Xanthosoma</i> spp.	Leaf and stem.	
Tonga	Tumeric	<i>Curcuma domestica</i>	Leaf and stem.	
	Burdock	<i>Arctium lappa</i>	Root, stem, and leaf.	
	Jicama tuberosus	<i>Pachyrhizus tuberosus</i>	Root.	
Trinidad and Tobago	Pumpkin	<i>Cucurbit maxima</i>	Fruit.	
	Cucurbit	Cucurbitaceae	Above ground parts	
	Lemongrass	<i>Cymbopogon citratus</i>	Leaf and stem.	
	Leren	<i>Calathea allouia</i>	Tuber.	
	Shield leaf	<i>Cecropia peltata</i>	Leaf and stem.	
Venezuela	Banana	<i>Musa</i> spp.	Fruit.	
Zambia	Snow pea	<i>Pisum sativum</i> spp. <i>sativum</i> .	Flat, immature pod.	

(b) Additional restrictions for applicable fruits and vegetables as specified in paragraph (a) of this section.

(1) *Free areas.* (i) The commodity must be from a Medfly-free area listed in § 319.56–2(j) and must be accompanied by a phytosanitary certificate issued by the national plant protection organization (NPPO) of the country of origin with an additional declaration stating that the commodity originated in a Medfly-free area.

(ii) The commodity must be from a fruit-fly free area listed in § 319.56–2(j) and must be accompanied by a phytosanitary certificate issued by the NPPO of the country of origin with an additional declaration stating that the commodity originated in a free area. Fruit from outside fruit-fly free areas must be treated in accordance with § 319.56–2x of this subpart.

(iii) The commodity must be from a fruit-fly free area listed in § 319.56–2(h) and must be accompanied by a phytosanitary certificate issued by the NPPO of the country of origin with an additional declaration stating that the commodity originated in a free area.

(iv) The commodity must be from a fruit-fly free area listed in § 319.56–2(h) and must be accompanied by a phytosanitary certificate issued by the NPPO of the country of origin with an additional declaration stating: “These regulated articles originated in an area free from pests as designated in 7 CFR 319.56–2(h) and, upon inspection, were found free of *Dysmicoccus neobrevipes* and *Planococcus minor*.”

(2) *Restricted importation and distribution.* (i) Prohibited entry into Puerto Rico, Virgin Islands, Hawaii, and Guam. Cartons in which commodity is packed must be stamped “Not for importation into or distribution within PR, VI, HI, or Guam.”

(ii) Prohibited entry into Puerto Rico, Virgin Islands, and Guam. Cartons in which commodity is packed must be stamped “Not for importation into or distribution within PR, VI, or Guam.”

(iii) Prohibited entry into Hawaii. Cartons in which commodity is packed must be stamped “Not for importation into or distribution within HI.”

(iv) Prohibited entry into Guam. Cartons in which commodity is packed

must be stamped “Not for importation into or distribution within Guam.”

(3) Commercial shipments only.

(4) *Stage of fruit.* (i) The bananas must be green at the time of export. Inspectors at the port of arrival will determine that the bananas were green at the time of export if:

(A) Bananas shipped by air are still green upon arrival in the United States; and

(B) Bananas shipped by sea are either still green upon arrival in the United States or yellow but firm.

(ii) The tomatoes must be green upon arrival in the United States. Pink or red fruit may only be imported in accordance with § 319.56–2dd of this subpart.

(5) *Other conditions.* (i) Must be accompanied by a phytosanitary certificate issued by the NPPO of the country of origin with an additional declaration stating that the commodity is apparently free of *Acrolepiopsis assectella*.

(ii) Entry permitted only from September 15 to May 31, inclusive, to prevent the introduction of a complex of exotic pests including, but not limited to a thrips (*Haplothrips chinensis*) and a leafroller (*Capua tortrix*).

(iii) Must be accompanied by a phytosanitary certificate issued by the NPPO of the country of origin with an additional declaration stating that the fruit is free from *Coccus molestus*, *C. viridis*, *Dysmicoccus neobrevipes*, *Planococcus lilacinus*, *P. minor*, and *Pseudococcus landoi*; and all damaged fruit was removed from the shipment prior to export under the supervision of the NPPO.

(iv) Must be accompanied by a phytosanitary certificate issued by the NPPO of the country of origin with an additional declaration stating that the fruit is free from *Planococcus minor*.

(v) Must be accompanied by a phytosanitary certificate issued by the NPPO of the country of origin with an additional declaration stating that the fruit is of the Malayan dwarf variety or Maypan variety (=F₁ hybrid, Malayan Dwarf×Panama Tall) (which are resistant to lethal yellowing disease) based on verification of the parent stock.

(6) *Plant types.*

(i) Chicory (*Cichorium intybus*) and endive (*Cichorium endiva*) only.

(ii) Rocoto pepper or chamburoto (*Capsicum pubescens*) prohibited.

(iii) Grapefruit (*Citrus paradisi*), lemon (*Citrus limon*), orange (*Citrus sinensis*), sour lime (*Citrus aurantiifolia*), and tangerine (*Citrus reticulata*) only.

(iv) Smooth skinned variety only.

(Approved by the Office of Management and Budget under control numbers 0579–0049, 0579–0236, and 0579–0264.)

[69 FR 65059, Nov. 10, 2004, as amended at 70 FR 72888, Dec. 8, 2005]

§319.56–2u Conditions governing the entry of lettuce and peppers from Israel.

(a) Lettuce may be imported into the United States from Israel without fumigation for leafminers, thrips, and *Sminthuris viridis* only under the following conditions:

(1) *Growing conditions.* (i) The lettuce must be grown in insect-proof houses covered with 50 mesh screens, double self-closing doors, and hard walks (no soil) between the beds;

(ii) The lettuce must be grown in growing media that has been sterilized by steam or chemical means;

(iii) The lettuce must be inspected during its active growth phase and the inspection must be monitored by a representative of the Israeli Ministry of Agriculture;

(iv) The crop must be protected with sticky traps and prophylactic sprays approved for the crop by Israel;

(v) The lettuce must be moved to an insect-proof packing house at night in plastic containers covered by 50 mesh screens;

(vi) The lettuce must be packed in an insect-proof packing house, individually packed in transparent plastic bags, packed in cartons, placed on pallets, and then covered with shrink wrapping; and

(vii) The lettuce must be transported to the airport in a closed refrigerated truck for shipment to the United States.

(2) Each shipment of lettuce must be accompanied by a phytosanitary certificate issued by the Israeli Ministry of Agriculture stating that the conditions of paragraph (a)(1) of this section have been met.

(b) Peppers (fruit) (*Capsicum* spp.) from Israel may be imported into the

United States only under the following conditions:

(1) The peppers have been grown the Arava Valley by growers registered with the Israeli Department of Plant Protection and Inspection (DPPI).

(2) Malathion bait sprays shall be applied in the residential areas of the Arava Valley at 6- to 10-day intervals beginning not less than 30 days before the harvest of backyard host material in residential areas and shall continue through harvest.

(3) The peppers have been grown in insect-proof plastic screenhouses approved by the DPPI and APHIS. Houses shall be examined periodically by DPPI or APHIS personnel for tears in either plastic or screening.

(4) Trapping for Mediterranean fruit fly (Medfly) shall be conducted by DPPI throughout the year in the agricultural region along Arava Highway 90 and in the residential area of Paran. The capture of a single Medfly in a screenhouse will immediately cancel export from that house until the source of the infestation is delimited, trap density is increased, pesticide sprays are applied, or other measures acceptable to APHIS are taken to prevent further occurrences.

(5) Signs in English and Hebrew shall be posted along Arava Highway 90 stating that it is prohibited to throw out/discard fruits and vegetables from passing vehicles.

(6) Sorting and packing of peppers shall be done in the insect-proof screenhouses in the Arava Valley.

(7) Prior to movement from approved insect-proof screenhouses in the Arava Valley, the peppers must be packed in either individual insect-proof cartons or in non-insect-proof cartons that are covered by insect-proof mesh or plastic tarpaulins; covered non-insect-proof cartons must be placed in shipping containers.

(8) The packaging safeguards required by paragraph (b)(7) of this section must remain intact at all times during the movement of the peppers to the United States and must be intact upon arrival of the peppers in the United States.

(9) Each shipment of peppers must be accompanied by a phytosanitary certificate issued by the Israeli national